

CONTRACT DATA REQUIREMENTS LIST

CATEGORY: MISC SYSTEM/ITEM: DUMMY NOSE PLUG
 TO CONTRACT/PR: R13F0R48M2

1. SEQUENCE NUMBER		14. DISTRIBUTION	DRFT/REG/REPRO COPIES
2. TITLE OF DATA ITEM			
3. SUBTITLE			
4. DATA ITEM NUMBER			
5. CONTRACT REFERENCE			
6. TECHNICAL OFFICE	7. DD 250	8. APP CODE	9. DIST STATEMENT REQUIRED
10. FREQUENCY	11. AS OF DATE		
12. DATE OF 1ST SUBMISSION	13. DATE OF SUBSEQUENT SUBMISSION		

1. A001		14. SEE ADDRESS CODE	/ /
2. ENGINEERING CHANGE PROPOSAL (ECP)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80639C*		NSWC (402)	/ 1/
		QAR***	/ 1/
5. SECTION C			
6. AMSTA-AAR-AIC-T	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	ASREQ

12. ASREQ 13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF THE ECP. CONTRACTOR FORMAT IS ACCEPTABLE, DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). ECPS SHALL BE NUMBERED AS FOLLOWS: A. LAST 4 DIGITS OF THE CONTRACT, B. E, C. SEQUENTIAL SERIAL NUMBER STARTING WITH 0001. (IE, 0756E0001, FIRST ECP UNDER THE CONTRACT).
 DIST STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIGURATION MGR. *SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT
[HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM](http://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM) ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS)
 ***ECP'S SHALL BE SUBMITTED THRU QAR TO ALL ADDRESSES.

1. A002		14. SEE ADDRESS CODE	/ /
2. REQUEST FOR DEVIATION (RFD)		DISTRIBUTION	/ /
3.		ATTACHED***	/ /
4. DI-CMAN-80640C*		NSWC (402)	/ 1/
		QAR****	/ 1/
5. SECTION C			
6. AMSTA-AAR-AIC-T	7. LT	8. -	9. **
10. ASREQ	11. ---	15. TOTAL	ASREQ

12. ASREQ

13. ASREQ

16. REMARKS

*DELETE PARAGRAPH 2 OF DID. SEE ATTACHED DATA DELIVERY DESCRIPTION FOR CONTENT OF RFD. ADEQUATE DATA/ANALYSIS/TESTING TO SUPPORT THE POSITION RELATIVE TO PARAGRAPH 24 AND 25 OF DATA DELIVERY DESCRIPTION SHALL BE INCLUDED. CONTRACTOR FORMAT IS ACCEPTABLE, BUT DATA MUST BE IN GOVT COMPATIBLE SOFTWARE (I.E., MICROSOFT OFFICE). ALL RFDS SHALL BE NUMBERED SERIALLY AS FOLLOWS: A. LAST 4 DIGITS OF THE CONTRACT, B. D, C. SEQUENTIAL SERIAL NUMBER STARTING WITH 0001, (IE, 0756D0001 - FIRST DEVIATION UNDER THE CONTRACT).

DISTRIBUTION STATEMENT WILL BE ASSIGNED AND IMPLEMENTED BY THE DOD CONFIG MGR. *SUBMIT ELECTRONICALLY TO ECP-INPUT@RIA.ARMY.MIL. ELECTRONIC FILES MUST BE LESS THAN 7MB. THE FORMS LOCATED AT HTTP://E-DATA.PICA.ARMY.MIL/PROD_TECHDATA/CMDOCS-LINKS.HTM ARE THE PREFERRED METHOD OF SUBMISSION FOR THIS DATA ITEM. (DD FORMS)

****RFD'S SHALL BE SUBMITTED THRU QAR TO ALL ADDRESSES.

1. A003

14.

QAR* / 1/

2. SPEC INSP EQUIP DRWGS AND ASOC LISTS

NSWC (402)** / 1/

3. DESIGN DOCUMENTATION

NSWC (MS-25)** / 1/

4. DI-DRPR-81004A

SFSJM-CD (LT ONLY) / /

CO (LT ONLY) / /

5. SECTION E

6. NSWC

7. LT 8. A 9. N/A

10. ASREQ 11.

15. TOTAL 0/ 3/ 0

12. ASREQ

13. WHEN REVISED

16. REMARKS

*DRWGS SHALL BE PROVIDED IN CONTRACTOR FORMAT. ALL CONTRACTOR ACCEPTANCE IN SPECION EQUIPMENT DESIGNS FOR THOSE INSPECTION CHARACTERISTICS CLASSIFIED AS "MINOR" SHALL BE SUBMITTED TO THE QAR FOR REVIEW AND APPROVAL. **DRWGS SHALL BE PROVIDED IN CONTRACTOR FORMAT. ALL CONTRACTOR ACCEPT INSP EQUIP DESIGNS FOR THOSE INSPECTION CHARACTERISTICS CLASSIFIED AS "CRITICAL" OR "MAJOR" SHALL BE SUBMITTED THRU THE QAR TO NSWC(CRANE) AND NSWC(CORONA) FOR REVIEW AND APPROVAL. NSWC WILL PROVIDE APPROVAL/DISAPPROVAL OF DESIGNS TO THE CONTRACTOR WITH COPY TO QAR.

1. A004

14.

QAR* / 1/

2. SPECIAL INSPECTION EQUIPMENT OPERATING

NSWC (402)** / 1/

3. INSTRUCTIONS

NWAS (MS-25)** / 1/

SEE RMKS*** / /

4. DI-QCIC-81005

5. SECTION E

6. NSWC

7. LT 8. A 9. N/A

10. ASREQ 11.

15. TOTAL 0/ 3/ 0

12. ASREQ

13. WHEN REVISED

16. REMARKS

*ALL CONTRACTOR SPECIAL INSPECTION EQUIPMENT OPERATING INSTRUCTIONS FOR THOSE ACCEPTANCE INSPECTION EQUIPMENT DESIGNS FOR INSPECTION CHARACTERISTICS CLASSIFIED AS "MINOR" SHALL BE SUBMITTED TO THE QAR FOR REVIEW AND APPROVAL . **ALL INSTRUCTIONS FOR AIE DESIGNS FOR INSPECTION CHARACTERISTICS CLASSIFIED AS "CRITICAL" OR "MAJOR" SHALL BE SUBMITTED THRU THE QAR TO NSWC (CRANE) AND NSWC (CORONA) FOR REVIEW AND APPROVAL. NSWC WILL PROVIDE APPROVAL/DISAPPROVAL OF OPERATING INSTRUCTIONS. ***IF ALL THE SPECIFIED REQUIREMENTS OF THIS DATA ITEM HAVE BEEN COMPLETELY INCORPORATED IN THE SPECIAL INSPECTION EQUIPMENT DRAWINGS, SEPARATE SUBMITTAL TO COMPLY WITH THIS DD FORM 1423 IS NOT REQUIRED.

APPROVED BY: SHELLEY SCHABILION, SDMO, AMSTA-AAR-AIC-T (RI) DATE: 02/05/2004